

	Hits	Search Text	DBs
1	2256	root and (model\$1 with (director\$3 or categor\$3 or group\$3 or list\$1)) and @ad < "20010815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1047	L1 and ((element\$1 or item\$1 or record\$1) with (director\$3 or categor\$3 or group\$3 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	169	L2 and ((variable or varying or varied or not\$1fixed or unfixed) with (size\$1 or length\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	18	L3 and compress\$5 and encrypt\$5 and ((utmost or most or highest or maximum) with (element\$1 or item\$1 or record\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	18	L4 and (locat\$5 or allocat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	16	L5 and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	15	L6 and (lan or (local adj area adj network\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	15	L7 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	13	L8 and intranet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	13	L9 and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	13	L10 and (file\$1 or document\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	13	l11 and graphic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	13	l12 and stream\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	l13 and (computer adj aided adj design\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	l13 and manifest\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	11	l13 and propert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	5	(("6134243") or ("7565164") or ("5627936") or ("6167409") or ("5778395") or ("5815415")) .PN.	USPAT
18	5	l17 and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	l18 and model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	1	119 and manifest\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	119 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	121 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	121 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	121 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	121 and compress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	13	L9 and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	17612	stor\$5 same large same file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	5955	stor\$5 with large with file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	28	l28 and root and (model\$1 with (director\$3 or categor\$3 or group\$3 or list\$1)) and @ad < "20010815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	L30 and compress\$5 and encrypt\$5 and ((utmost or most or highest or maximum) with (element\$1 or item\$1 or record\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	0	L29 and compress\$5 and encrypt\$5 and ((utmost or most or highest or maximum) with (element\$1 or item\$1 or record\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	10	L29 and ((variable or varying or varied or not\$1fixed or unfixed) with (size\$1 or length\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	18	L29 not 130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB